

CORRECTION

Open Access



Correction to: Comparative analysis of confocal microscopy on fresh breast core needle biopsies and conventional histology

C. Elfgen^{1,2*}, B. Papassotiropoulos¹, Z. Varga³, L. Moskovszky³, M. Nap⁴, U. Güth¹, A. Baege¹, E. Amann¹, F. Chiesa¹ and C. Tausch¹

Correction to: *Diagn Pathol* (2019) 14:58
<https://doi.org/10.1186/s13000-019-0835-z>

Following publication of the original article [1], the authors reported two typesetting mistakes in Table 1 of the publication. The original article [1] has been updated.

The correct Table 1 is shown below.

Table 1 Results: B-classification of Confocal scanner images compared to B-classification of H&E images

H&E-Images	Histolog™ Scanner Acquire Images					
	0	1	2	3	4	5
0						
1		2				
2			2	5		
3						
4	1 (ND)			1 (NO)	4	
5	3 (ND)	2 (NO)		1 (NO)	30	33

Author details

¹Breast Center Zurich, Seefeldstrasse 214, 8008 Zürich, Switzerland. ²Senology Department, Institute of Gynecology and Obstetrics, University of Witten-Herdecke, Witten, Germany. ³Institute of Pathology and Molecular Pathology, University Hospital Zurich, Zürich, Switzerland. ⁴Nap Pathology Consultance BV, Numandorp, The Netherlands.

Published online: 08 August 2019

Reference

1. Elfgen C, et al. Comparative analysis of confocal microscopy on fresh breast core needle biopsies and conventional histology. *Diagn Pathol*. 2019;14:58. <https://doi.org/10.1186/s13000-019-0835-z>.

* Correspondence: C.Elfgen@brust-zentrum.ch

¹Breast Center Zurich, Seefeldstrasse 214, 8008 Zürich, Switzerland

²Senology Department, Institute of Gynecology and Obstetrics, University of Witten-Herdecke, Witten, Germany

Full list of author information is available at the end of the article

